




Quality is what we pursue...

Yaounde, Cameroon 

www.afralmed.org 

contact@afralmed.org 

+237 675 322 450 

ABOUT US

Africa Alliance Medical (AFRALMED) LTD exists in Cameroon since April 2017 and operates as a limited liability company, supplying a market in the ten regions of Cameroon, Gabon, Chad and Central African Republic. Its expansion plan aims at covering all the French speaking countries of Africa by 2025.

AFRALMED specializes in medical supplies, laboratory reagents, consumables and the distribution of medical equipment.

WHAT WE DO

We supply reagents for different branches of medical analysis such as parasitology, hematology, bacteriology, molecular biology, serology etc. We equally supply medical equipment's such as magnetic induction cyclers, cycler gradients, micro plate readers, spectrophotometer, thermostat incubators, electronic centrifuge, biochemistry analyzers etc.

- Installation of Equipements
- Repair of Biomedical
- Equipmen Training of staff(s)
- Follow up



PRODUCT NAME: HYBRID GRAPHIC PRINTER UP-X898MD
BRAND SONY



Product Description

The BS-UP-X898MD printer is a hybrid model accepting both analog and digital signal inputs. BS-UP-X898MD offers 'PRINT, STORE and GO' capabilities with Sony's IMAGEPORT "interface. This allows users to either print image, store them on a USB drive and transfer them to a laptop. This black and white ultrasound printer designed for today's advanced ultrasound systems with high speed printing times of approximately 1.9 seconds, high resolution of 325 DPI and a compact-space-saving design.

Highlights

Hybrid - accepts both analog and digital signal input ideal for today's advance ultrasound systems unique built-in digital capture enables you to store images on a connected USB drive sony's IMAGEPORT interface is now incorporated into the UP-X898MD print - store--- Go

1.9 second print speed

User-friendly controls on front panel

uses same media as the UP-895 and UP-897 series printers

High-quality, photo like images

Connector	Analog
Dimensions	6 1/8 x 3 1/2 x 9 1/2 inches
Gradation	True 256 gray balance
Interface	Input connector: VIDEO IN (BNC type) NTSC or PAL composite videosignals 1.0 Vp-p, 75 ohms (NTSC/PAL automatically discriminated) Output connector: VIDEO OUT (BNC type) Loop-through remote connector: Stereo mini jack USB
Picture Memory	10 frames
Power requirement	100 to 240 V AC 50/60Hz 1.5A to 0.8A
Print Media	UPP-110S/5,UPP-110HD, UPP-110HG
Print Speed	Approximately 1.9 seconds High speed mode)
Printer Driver Software	OS: Windows 2000/XP
Printing Method	Direct thermal printing
Resolution	325dpi
Safety Compliance	

Thermal Head	Thin film thermal 1280 dots
Type	Black white printer
Weight	Approximately 5lb. 12 oz

Print Media:

Sony UPP-110HG

Sony UPP-110HD

Sony UPP-110S/5

2 **PRODUCT NAME:** High Frequency Digital Mobile c arm system



Product Description

- Four-dimensional electric motion control, accurate positioning, flexible and smooth. Larger rack design provides a huge examining space and more comfortable surgery environment. Fresh designs and ideas bring you superior experience.
- Two panels of human graphical LCD touch screen, intelligent and fast operation. Dual kinetic control system and double foot brake design for exposure, meeting the demands of clinical operations greatly.

Configuration:

- 1) Four-dimensional electric isocentre main frame of C-arm 1 set
- 2) High-frequency high-voltage X-ray generator and high frequency inverted power supply (125kw,60kHz) 1 set
- 3) Three fields image intensifier of Toshiba 1 set
- 4) Medical use 1 mega pixels digital CCD camera 1 set
- 5) Digital acquisition and processing workstations 1 set
- 6) Imported minigroove grid 1 set
- 7) Electric adjustable collimator 1 set
- 8) 19 inch LCD monitor 2 set
- 9) Hand controller 2 set
- 10) Human graphical LCD touch screen 2 set
- 11) Foot brake for exposure

3 PRODUCT NAME: 128 Slice CT Scanner Computed Tomography System




Aperture	76cm
One-button positioning	Preset 3 protocols
Scan speed/360°	0.48, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 2.0s
Scan FOV	50cm
Tilt range	Mechanical tilt: $\pm 30^\circ$ (step 0.5°)
Display panel	Size: 13.3 inch LCD, showing current scan parameters
Auto voice	Support

Components

1) Gantry	4) Generator	7) Image Quality	9) Image Reconstruction
2) Patient Table	5) Detector	8) Cardiac Scan	10) Image Optimization Algorithm
3) X-ray Tube	6) Scanning Performance		

4 PRODUCT NAME: Anesthesia system anesthesia ventilation machine BRAND NAME: HRD



- 10.4" TFT LCD touch screen displays the Ventilation parameters, Alarming information and Waveform
- Multiple parameters monitoring interface, make every parameter clear, let users know the patient conditions in all aspects
- Real time pressure-time, volume-time loop graphics and optional ETCO₂, O₂ concentration detection function included
- Vital sign monitor and Anesthetic gas monitor are optional
- Double-End Pressure-Flow Sensor, instantly know the fresh gas flow to your patient
- Vaporizer with temperature, flow compensation and Self-Lock and Inter-ck function, keep safety anytime
- Integration breathing circuit design, ensure easy operating and keep tidy
- Large capacity adult/child bellows with good rubber resilience



4 PRODUCT NAME: Global-Intercom 4G PoC Internet Two-Way Radio BRAND NAME: RYKS



Talk Range	5000KM
Terminal style	Handheld
Storage Channel	86*54*26mm
Charging	Type C
Battery	16800mAh
Battery life	7 - 10 days

5 PRODUCT NAME: Global-Intercom 4G PoC Internet Two-Way Radio

BRAND NAME: RYKS



Features	7" display, touch screen Support Ecg analysis capabilities
lead acquisition	synchronously 12 leads
Record mode	Automatic: 3CH×4+1R, 3CH×4, 3CH×2+2CH×3, 3CH×2+2CH×3+1R, 6CH×2; Manual: 3CH, 2CH, 3CH+1R, 2CH+1R; Rhythm: Any lead selectable.
Paper speed	12.5 mm/s, 25 mm/s, 50 mm/s
Paper specification	Sun-7031:80mm×20m paper roll Sun-7062:112mm×20m paper roll
LCD display	7" graphic LCD

6 PRODUCT NAME: Medical suction machine

BRAND NAME:



- Oil-free piston pump helps to keep from oil mist pollution.
- Plastic panel makes it resistant from water erosion.
- Low noise, easy to operate with manual and pedal switches.
- Overflow valve helps to prevent liquid from flowing into pump.
- Medical suction, high negative pressure, high flow rate.
- Negative pressure is adjustable according to requirements.

7 PRODUCT NAME: Vertical Pressure Steam Sterilizer

BRAND NAME: SANQIANG



Relative humidity	<80%
Design temperature	150 ⁰
Sterilization room size	386*875 mm
Display screen	5 inch digital display screen
Overall dimensions	560*640*1258 mm
Sterilization Temperature	121/134C

8 **PRODUCT NAME:** Garbage Bin
BRAND NAME:



Style	Rolling Cover Type
Structure	Standing
Feature	Sustainable, Stocked
Display screen	5 inch digital display screen
Material	Hard plastic

9 **PRODUCT NAME:** Garbage Bin
BRAND NAME:



Style	Freestanding
Function	Soaking
Size	1500*750*580mm
Weight	70kg
Surface	Polishing Shining
Color	Gloss White

10 **PRODUCT NAME:** Manual Wheelchair
BRAND NAME:



Size	Fold Size	Weight	Function	Material
67*102*84cm	84*102*28cm	12.95kg	Health Care Walking Aid	Steel

11 **PRODUCT NAME:** Medical treatment cart
BRAND NAME:



Feature	Durable
Function	Multifunction
Color	WHITE , BLUE
Net weight	60kgs
Main Materail	plastic

12 **PRODUCT NAME:** Portable ultrasound machine
BRAND NAME: Yonker



Display	12 inch 1024 * 768 LED
probe	Two probe connectors
Channel	32 channels
Display mode	B, 2B, B+M, M, 4B
Image storage	about 360 images
Size	31.6X31.4X6.9CM

13 **PRODUCT NAME:** Portable ultrasound machine
BRAND NAME: Yonker



Sample size	1 μ L Fresh capillary whole blood
Measurement Range	2.2-33.3 mmol/L (40-600 mg/dL)
Measurement Time	5 s
Memory	360 tests
Battery	One 3.0V CR2032 lithium battery
Calibration Method	No coding

14 PRODUCT NAME: Head Lamp

BRAND NAME:



Lamp Luminous Efficiency(lm/w)	1 μ L Fresh capillary whole blood
Lifespan (hours)	4000hrs
Working Time (hours)	10000hrs
Power Source	Rechargeable Battery
Lamp Luminous	330
Calibration Method	No coding

15 PRODUCT NAME: Medical bed

BRAND NAME: Mingtai



Material	Metal
Mattress thickness	8cm
Width	960mm
Product Size	2150*900*500mm
Frame material	Carbon steel tubes and cold rolled steel
Accessories	Dining table board, infusion rack

16 PRODUCT NAME: Pulse oximeter

BRAND NAME:



Figure pulse oximeter The oximeter monitors fluctuations in blood oxygen saturation in small volume. Using fingers to care family health is easier than going to hospital.

Features:

-TFT display: Dual Color TFT display. Better shows the data.

-Multi-direction display: Rotatable multidirectional display. 4 directions, 6 modes, allow you to view your results in any direction.

-Alarm function: Set the alarm and beep according to your needs. There will be a warning once the measured values go beyond the setting. Know it immediately.

-With case: Small in volume, light in weight, convenient to carry. With a lanyard and carrying case, convenient to use and to storage

-Long battery life:

1) Low-power consumption, continuously work for 6 hours.

2) In the absence of signal, the product will be in after 8 seconds to enter standby state.

17 **PRODUCT NAME:** Neck braces
BRAND NAME: HKJD



Material	Foam, pp,
Instrument classification	Class I
Feature	Adjustable, Comfortable
Type	Physiotherapy Treatments
Size	S/M/L

18 **PRODUCT NAME:** Oxygen extractor
BRAND NAME: HKJD



1. With medical grade oxygen concentration above 90%, better treatment effect for patients with pulmonary fibrosis
2. Innovative cooling technology to ensure 24/7/365 operation.
3. Humidifier bottle with a pressure relief value of 6PSI, safer and more comfortable.
4. Four flexible castors with two brakes, easy to move or situate in any direction, safer and more convenient.
5. Simple operation functions and easy-to-read LCD display.
6. Connected to HFNC, provide oxygen with stable high concentration, more comfortable
7. Connected to HBOC, rapidly and effectively increase the patients' SP02.

19 **PRODUCT NAME:** Medical ambulance (2023)
BRAND NAME: River



Transmission Type	Automatic / Manual
Fuel Type	3 - 8m
Length (m)	Adjustable, Comfortable
Brand Name	River
Total mass	3300

20 PRODUCT NAME: Medical ambulance (2023)

BRAND NAME: River



Specification

Scope of Application:

It is suitable for various gynecological surgeries on cutting, coagulation, condylomata acuminata, columnar ectopy and LEEP. It is also used with laparoscope, hysteroscope, etc.

Functional Features:

- **Cutting:** that is pure cutting, the effect is fine cutting, tissue surface is fresh and no scab;
- **Blend:** The effect is to provide good coagulation while cutting. It is suitable for superficial coagulation of tissue in surgery and can be used with endoscopy.
- **Coag 1:** It can be called soft electrocoagulation or point coagulation. It is suitable for deeper coagulation of tissue in surgery and can be used with endoscopy. Because smaller area of action can reduce adhesion between electrode and tissue, it is better for rehabilitation of patients.
- **Coag 2:** It can be called strong electrocoagulation or surface coagulation. It has the faster coagulation and larger area of action.
- **Bipolar Coag:** It can be called rapid bipolar electrocoagulation. It can achieve the effect of coagulation at the moment of start-up and reduce the rate of misoperation during surgery.

Advantages of High Frequency Electrotome

- Independent output port of endoscope and intelligent conversion key, which can enter endoscopic mode automatically after start-up.
- Microcomputer control system, power-off protection, and memory function of keeping last usage data after restart.
- Automatic adjustment on output power. It can be adjusted automatically according to the change of density of tissue. Stable output power to keep the minimum wastage.
- Automatic conversion on monopolar and bipolar.
- Automatic monitoring of on-off, automatic detection and error prompt in work.
- The monitoring circuit system on contact quality of neutral electrode can test and evaluate the safety and effectiveness on the contact area between electrode plate and skin. The system can cut off output automatically and give an alarm, in case of finding that contact area is in dangerous level. It can test and use negative plate of monopolar or bipolar effectively.
- Operating panel with keys, high definition and large digital. It has different sound and light indicators during operation. Waterproof operating keys are easy to clean and maintain.
- Independent three-way power output. This increases the convenience and security of operation.
- It can be operated and performed well underwater even when dissecting and removal of fat tissue.
- Fully suspended power output. There are two independent and isolated application sections to prevent defibrillation interference (monopolar and bipolar).

LIT DE CONSULTATION



Product Description

Synthetic leather mattress

The surface is equipped with soft sponge mattress, synthetic leather cover, waterproof, easy cleaning, wear-resisting.

High quality steel

Made of high quality cold-roll steel tube, firm and reliable, plastic spraying on the surface

Rubber feet

The bottom of the legs has rubber pad, anti-skidding

Vaccination room bed



Product Description

Angle of back lift 0-85°

Product size 2000*900*500mm


Optional Accessories

ABS bed head and foot Mattress, Guardrail, Casters, Infusion Bar, Dining Board

Applicable places

Applicable to hospital/nursing homes/ disabled persons federations health care centers/households, etc

Stretcher



Product Description

Unfold Size

185*50*3 cm

Folding Size

92.5*50*10 cm

Load Bearing

≤159 kg

Packing Size

99*56*18.5 cm

Net W.



6.5 kg

Gross W.

7.5 kg

21 PRODUCT NAME: Minor surgery box

BRAND NAME: REEAX



OTHERS



Material:	Made of durable 100% stainless steel, and the hardness between to . Premium material brings ultimate performance and long lasting age.
Non-Slip Handles:	These have non-slip ensuring a comfortable grip and can fit easily in your fingers.
Function / Attributes:	Mostly used to hold tissues work smoothly and easy Grip.
Color:	Sliver/Gold/Rose gold/Bronze/Dark brown/Custom.
Feature:	Reusable, Comfortable finger rings accommodate a range of finger sizes
Intended Use:	Surgery Instruments shall be used for Surgery purposes.
PREMIUM QUALITY STAINLESS STEEL:	The stainless steel construction and quality make the Surgery Instruments Set ideal for hospitals and specialty clinics. These beautifully forged surgical instruments are built to last.
Quality Certification:	CE, ISO 9001, ISO 13485
Safety Standard:	CE
Quality:	100% Tested before shipment.
OEM:	Dental Instruments, , Orthopedic Instruments, Surgery Instruments, General Surgery Instruments
Samples:	Available for evaluation before placing orders.
Payment:	T/T, Western Union, Money Gram, PayPal, Alibaba Trade Assurance.
Packing:	Poly Bag, Blister Packing, Leather Case, Wallet Packing.

22 PRODUCT NAME: Casaque

BRAND NAME:



Configuration

1 Wrap
1 Surgical Gown Medium
1 Absorbent towel 15"x24"

24 PRODUCT NAME: Medical Trolley/Charriot à soins roulant

BRAND NAME:



Material: Integral ABS surface, special concave top design covered with transparent plastic and disposable Lock.

1. Size: 750*480*950mm
2. Gross weight: 42kg
3. Material: the Emergency Trolley Cart is composed of aluminum, steel, ABS engineering plastic structure.
4. Standard Configuration: ABS platform using the sag design, two handrail, one hidden detachable partition, mute wheel

Mainly composed of aluminum, steel and ABS engineering plastic structure; Plastic steel column four-column bearing capacity; ABS arc bottom injection molding process with handrails on both sides, professional sharp box, can be placed at will, sag design to prevent items from falling, sag size: 512*433*12 mm table with 304 stainless steel guardrail, with transparent soft glass.

Sliding side shelf, dust basket, needle disposable holder(optional), IV pole, defibrillator shelf, C.P.R.board(optional), oxygen tank holder, power outlet&hooks, file holder, centralized lock, stainless steel guard rail, luxurious whist casters etc.

25 PRODUCT NAME: Urinal homme

BRAND NAME:



- **Unisex Portable Urinal Bottle:** Our unisex urinal bottle is perfect for both men and women on the go! Our plastic portable pee bottle for women is reusable and recyclable. Our urine bottles for males and females have a 32oz capacity per bottle.
- **Funnel for Women & Girls:** We've included a funnel in our travel potty for adults. To use it, remove the cap, and push the funnel into the mouth of the pee bottle. When you're done, remove the funnel and place the cap back on. It's that easy!

Leak-Resistant Cap: Our pee funnel device comes with an attached clip-on cap to help prevent leaks. The tab on our lid makes removal easy. Our cap also keeps unwanted odors enclosed inside the bottle. Perfect for long car rides, camping, and travel

- **Easy Grip Handle:** Our portable urinal for women and men has a 3" long handle that provides maximum stability to avoid accidental spills. Perfect for the elderly, seniors, homebound/bedridden patients, post-surgery, nursing aids, hospitals, and more!
- **Measurement Lines:** Our female urinal device has easy-to-read numbers. Approx Dimensions - Bottle: 6.5" L x 4" W x 5" H with 3" L Handle & 2.25" Mouth Diameter. Funnel: 5" L x 2.75" W x 3" H, 1.875" Diameter. Cap: 5/16" H x 2.25" Diameter.

26 PRODUCT NAME: Thermomètre électronique

BRAND NAME:

TRICOLOR BACKLIGHT

The three colors are easy to judge and clear at a glance



Product name	Digital Infrared Thermometer
Measuring method	non-contact
Modes	body mode, surface mode
Body mode measuring site	forehead
Measuring range	32 - 42.5 degree Celsius (89.6 - 108.5 degree Fahrenheit)
Display resolution	0.1 degree Celsius
Measuring distance	3 - 5cm
Battery	2 AAA batteries (not included)
Auto shutdown time	15s

27 PRODUCT NAME: Tensiomètre manuel

BRAND NAME:



Product name	aneroid sphygmomanometer with stethoscope
material	Plastic+Cloth
Color	black
Accuracy	3mmHg
Power	Manuel
Measurement range	Pressure 30 to 280 mmHg
Function	Blood Pressure Checking
Advantage	Compact
Weight	500g
Service	OEM ODM Available

28 PRODUCT NAME: Tensiomètre électronique

BRAND NAME:



Product name	BP-103H Digital Blood Pressure Monitor
Response Time	Less than 1 minute
Memory	120 memories in 2 groups
Certificate	ISO 9001, ISO 13485, MDR CE, RoHS
Pressure Accuracy	±3mmHg (± 0.4KPa)
Pulse Accuracy	± 5%
Packing	1pcs/color box , 24pcs/ctn
Displaying method	Digital LCD screen

29 PRODUCT NAME: Stéthoscope

BRAND NAME:



Product name	sprague rapport stethoscope
Type	Dual head stethoscope
standard	dual PVC tubing ,well-sealed dual sound conduction channel

30 PRODUCT NAME: Table opératoire orthopédique

BRAND NAME:



Product name	Digital Infrared Thermometer
Measuring method	non-contact
Modes	body mode, surface mode
Body mode measuring site	forehead
Measuring range	32 - 42.5 degree Celsius (89.6 - 108.5 degree Fahrenheit)
Display resolution	0.1 degree Celsius
Measuring distance	3 - 5cm
Battery	2 AAA batteries (not included)
Auto shutdown time	15s

31 PRODUCT NAME: Table opératoire orthopédique

BRAND NAME:



Model Number	BS-2030MH10
Eyeiece	WF10X 10PCS
Nosepiece	Quadruple
Objective	4X, 10X, 40X, 100X
Condenser	Abbe Condenser NA1.25
Focusing	Coaxial Coarse
Stage	Double Layers Mechanical Stage 140X140mm/ 75X50mm
illumination	1W S-LED
Pointer	Green LED

31 PRODUCT NAME: CT Scanner

BRAND NAME:



Gantry aperture	70 cm
Tilt range	±30°
Product name	Medical ct scanner machine
Gantry cooling	Air
Gantry rotation	Belt-driven
Lip ring type	Low voltage
Positioning system	3D lasers
Power rating	80kW
MA range	10-660mA
KV range	80 kV, 100 kV, 120 kV, 140 kV

32 PRODUCT NAME: Pousse seringue électrique

BRAND NAME:



Product name	M558 Syringe pump
Volume Range	0.1- 9999.9 ml, Step by 0.1 ml
Syringe Size	2ml, 5ml, 10ml, 20ml, 30ml, 50/60ml
Occlusion Pressure	Two levels: High, Low Ht: 100 kpa; L: 50 kpa
Infusion Accuracy	±2%
Power	A.C.100 -240V 50/60Hz
Weight	1.5 Kg
Dimension	278mmX 145mm X 106mm(WxDx H)
OEM & ODM	Offer
Power Adapter	-55VA Max; Battery Voltage 10.8V; Support 6 Hours normal operation


33 PRODUCT NAME: Boite de chirurgie osseuse BRAND NAME:



Basic Bone Surgery Set 24 pieces with Sterilizing Stainless Steel Box

Basic Bone Surgery Set are available at Jalal Surgical in Set of 24 Pieces, Premium Quality with German Stainless Steel material. The set typically includes a range of instruments such as Bone Rongeur, osteotomes, chisels, Curette, Retractor, and Bone Cutting Forceps. These instruments are crafted from high-quality stainless steel to ensure durability, precision, and ease of sterilization, which is crucial for maintaining aseptic conditions during surgery.

34 PRODUCT NAME: Boîte de chirurgie pédiatrique BRAND NAME:



Basic Pediatric Surgery Instruments Set of 40 pieces With Sterilization Box. Basic Pediatric Surgery Instruments Set of 40 pieces With Sterilization Box basic pediatric instruments, basic pediatric instruments set, Pediatric Nasal Instruments, Pediatric Nasal surgery Instruments, Nasalplasty Surgical Instruments, pediatric surgery instruments, pediatric surgery instruments set, basic pediatric surgery instruments, basic surgical instruments set, basic surgical instruments pediatric surgery, Pediatric surgery set, Pediatric General Surgery Instruments, Pediatrics Surgery Surgical Instruments Product Feature : · Manufactured from Stainless Steel.

35 PRODUCT NAME: Boîte de chirurgie vasculaire BRAND NAME:



Included Instruments:

Scalpel Handle #3l x3
 DeBakey Vacs Scissors 25ang 7" x1
 Satinsky Scissor Dbl Cvd 9 1/2" x1
 DeBakey Vacs Scissors 45ang 7" x1
 DeBakey Atra Forceps Str 6 1/4 2mm x3
 DeBakey Atra Forceps 2mm 7 3/4" x3
 DeBakey Atra Forceps 6 1/4" 1.5mm x2
 DeBakey Atra Forceps Str 9 1/2 2mm x2
 Tuttle Forceps 7" x2
 Johns Hopkins Bulldog Clip 1 1/2 x5
 Johns Hopkins Bulldog Clip 2 x5
 Dieffenbach Bulldog Clip Str 2.25 x3
 Dietrich Bulldog Clamps Ang 8mm x5
 Lahey Forceps Str 5 1/2" x2
 Lahey Forceps Cvd 5 1/2" x2
 Castro Nh W/lk Smo Str 5 1/2" x1
 Castro Nh W/lk Smo Crv 5 1/2" x1
 Cooley Vascular Tissue Forceps 6" x2
 Cooley Vascular Tissue Forceps 8" x2



Cooley Vascular Tissue Forceps 9 1/2" x2
 DeBakey Atra Fcp 7 3/4" 1.5mm x2
 DeBakey Atrau Tangentl Fcp 8" x2
 DeBakey Atrau Tangentl Fcp 10" x2
 Deb At Tangential Fcp 10 3/4" x2
 Lambert-kay Clip 8" 1.9 Depth x2
 Bunt Forceps Holder x2
 Fcp Apllying Bulldog Clamp 9" x1





36 PRODUCT NAME: Boîte de chirurgie vasculaire BRAND NAME:

Configuration of episiotomy box



- 13 episiotomy boxes
- At least including or equal to:
 - 1 x stainless steel or aluminium treatment box, approx. 21 x10x5cm
 - 1 No. 4 tool handle
 - 1 straight Mayo chisel 16cm
 - 1 x curved Mayo scissors 17cm
 - 1 x 18cm Gelpi diffuser
 - 2 x Kocher drop hammer a/g 16 cm
 - 1 x Kocher curved S/G pliers 16 cm
 - 1 clamp anatomy a/g 14 cm
 - 1 Tweezer anatomy S/G 14cm
 - 4 x Field forceps 14cm
 - 1 x 24cm cutting rongeur pliers
 - 1 bent Faure clamp A/G18 cm
 - 1 clip anatomy S/G 16cm
 - 1 clip anatomy a/g 16cm
 - 1 Mayo Herga needle door 18cm
 - 1 14 cm spline probe
 - 1 olive branch 14cm double

37 PRODUCT NAME: Bouteille d'oxygène avec gaz BRAND NAME:




Model	Outside diameter(mm)	Water capacity (L)	Height (mm)	Weight (kg)	Working pressure(Bar)	Water test pressure(Bar)	Design wall thickness(mm)
CY-4-15	140	4	390	7.1	150	250	3.6
CY-5-15	140	5	460	8.2	150	250	3.6
CY-6-15	140	6	530	9.3	150	250	3.6
CY-7-15	152	7	524	10.6	150	250	4.0
CY-8-15	152	8	586	11.6	150	250	4.0
CY-9-15	152	9	648	12.6	150	250	4.0
CY-10-15	159	10	370	14.8	150	250	4.2
CY-12-15	159	12	785	16.9	150	250	4.2
CY-15-15	159	15	955	19.9	150	250	4.2
CY-18-15	159	18	1130	23.1	150	250	4.2
CY-20-15	219	20	715	28	150	250	5.7
CY-25-15	219	25	865	33	150	250	5.7
CY-32-15	219	32	1075	40	150	250	5.7
CY-36-15	219	36	1195	44	150	250	5.7

- * Manufacturing material: 37Mn/34CrMo4
- * Working Pressure:150bar/200bar; Testing pressure: 250bar
- * Filling Medium: Air, Oxygen, Argon, Hydrogen, Helium, Nitrogen, Carbon dioxide
- * Equipped with various specifications of caps or valves(BS341, DIN477and CGA standard)
- * Cylinder body and label colors available ISO or USA
- * Service life: 30 years

38 PRODUCT NAME: Canule de Guedel (Adulte)

BRAND NAME:



Disinfecting Type	EOS
Size	40mm-120mm
Stock	Yes
Shelf Life	3 years
Material	PVC
Quality Certification	CE
Instrument classification	Class II
Safety standard	None
Properties	Medical Materials & Accessories

39 PRODUCT NAME: Canule de Guedel (Enfant)

BRAND NAME:



Size	neonate infant child adult
Stock	Yes
Shelf Life	5 years
Material	PE
Quality Certification	CE
Instrument classification	Class II

40 PRODUCT NAME: Défibrillateur

BRAND NAME:



Item:	AED Defibrillator
Certification:	CE ISO
OEM & ODM Service:	Acceptable
Size:	323mm*277mm*338mm
Weight:	7.2kg
Screen Size:	8.4" TFT screen
Resolution:	800 * 600
Waveforms:	5 waveforms
Temperature:	0-45°
Water Resistance:	IP44 (without external power)
Power Requirement:	100-240V, 50/60HZ ±3HZ
Battery Type:	Rechargeable Lithium battery
Battery Capacity:	7500 mAh

- * 4-in-one design including: monitoring, Manual Defib, AED and pacer
- * Up to 360J escalating dose energy to maximize defibrillation success
- * Powerful power capacity with battery to support continuous long time monitoring and shocks during transport without external power supply

41

PRODUCT NAME: Echarpe d'immobilisation

BRAND NAME:



Place of Origin	Manisa, Turkey
Brand Name	ARMOR
Model Number	ARM302F
Feature	Breathable
Material	Polyester
Product name	SHOULDER IMMOBILISER

42




Brand Name	HEABENS
Model Number	HBS0043P
Type	Class II
Color	YELLOW/BLUE
Size	1080*610*1140MM
Material	Aluminum Alloy AL6061
Motor	24v/250W*2 Brushless
Battery	Lithium Battery 6AH*2PCS
Controller	JieCang
Net Weight	40.5kg
Load Capacity	150kg
Feature	LightWeight/Folding

43



Atèle d'immobilisation (pied, jambe, cuisse, main, bras et avant-bras)

44 PRODUCT NAME: Kit d'intubation (canule de Guedel, sonde d'intubation et d'aspiration, drogues, réanimation, laryngoscope.



Endotracheal Tube

1. Made of medical grade PVC , Clear and smooth
2. Left-sided and Right-sided available
3. Equipped with 1 stylet, 1 switch connector and 2 suction catheters
4. Easily operate one-lung ventilation by switch connector
5. Used for one-lung ventilation, in the OPS of bronchus, thoracic surgery, etc
6. Brand name: Canack & OEM

Left-sided	Right-sided	Size(FR)
EBT26L	EBT26R	26
EBT28L	EBT28R	28
EBT32L	EBT32R	32
EBT35L	EBT35R	35
EBT37L	EBT37R	37
EBT39L	EBT39R	39
EBT41L	EBT41R	41

45 PRODUCT NAME: Manodétendeur/ Pressure regulator



46 PRODUCT NAME: Manodétendeur/ Pressure regulator BRAND NAME:




Type	Air mattress inflatable
Size	200*90*7cm(Mattres); 26.5*13.5*10cm(Pump)
Material	'TW NanYa EN71 Medical-Grade PVC
Material thickness	0.32mm
Limit Weight	135kg
Mattress Weight	2kg
Air Output	7~8 Liter / Min
Color	Beige & Blue
ISO Certificate	TUV-ISO13485, ISO9001
CE Certificate	TUV-CE,CB


47 PRODUCT NAME: Sialyrique plafonniers
 BRAND NAME:




48 PRODUCT NAME: Pèse personne
 BRAND NAME:



49 PRODUCT NAME: Plateau de prélèvement
 BRAND NAME:



49 PRODUCT NAME: Plateau de prélèvement
BRAND NAME:



50 PRODUCT NAME: Haricot
BRAND NAME:



Size	L	W	H
Small	18.5	11.5	2.5
Middle	20	13	2.5
Big	21	14	2.5

52 PRODUCT NAME: Paravent
BRAND NAME:



1

Sail Material	Polyester
Frame Material	Iron,Steel

2

Sail Material	Polyester
Frame Material	Iron

53 **PRODUCT NAME:** Potence
BRAND NAME: Medycon



54 **PRODUCT NAME:** Amplificateur de brillance
BRAND NAME:



Product name	Low dose Mobile C-arm X-ray Machine Imaging System
Model	FN-ALC200
Detector Type	a-Si EPID (amorphous silicon imaging device)
Scintillator material	CsI (Cesium iodide)
High Frequency Generator Output Power	5KW
X-ray Tube Voltage	130kv
Collimator Control Mode	Electric
Tube Current Radiography Mode	1mA ~ 100mA
X-ray Tube Power	5kW/17kw